


Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 6/7/2006
Date Received 5/23/2006
Sample ID 0605-01388
Invoice No. 11934
Cust # W343
Cust P.O. #

Subject S1 SAMPLES FOR TESTING 5/23/06

Sampled By: CLIENT Date 5/21/2006 Time 11:56

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	5/21/2006 11:56:00AM				
S1 TOP					
Phosphorous as P	<0.010 mg/L	6/1/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	5/24/2006		EVD	4500-NO3-E
Chlorophyll-A	1.4 mg/M3	5/24/2006		EVD	SM 10200H
002 Sample Collected:	5/21/2006 11:56:00AM				
S1 BOTTOM					
Phosphorous as P	<0.010 mg/L	6/1/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL


Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

 WEBSTER LAKE ASSOCIATION
 ERNIE BENOIT
 86 POINT BREEZE ROAD
 WEBSTER, MA 01570

 Date Reported 6/7/2006
 Date Received 5/23/2006
 Sample ID 0605-01389
 Invoice No. 11935
 Cust # W343
 Cust P.O. #

Subject M1 SAMPLES REC'D 5/23/06

Sampled By: CLIENT Date 5/21/2006 Time 12:30

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	5/21/2006 12:30:00PM				
M1 TOP					
Phosphorous as P	<0.010 mg/L	6/1/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	5/24/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	5/24/2006		EVD	SM 10200H
002 Sample Collected:	5/21/2006 12:30:00PM				
M1 BOTTOM					
Phosphorous as P	<0.010 mg/L	6/1/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

 Nancy Burnett
 Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER




Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

 WEBSTER LAKE ASSOCIATION
 ERNIE BENOIT
 86 POINT BREEZE ROAD
 WEBSTER, MA 01570

 Date Reported 6/22/2006
 Date Received 5/23/2006
 Sample ID 0605-01390
 Invoice No. 12750
 Cust # W343
 Cust P.O. #

Subject N1 SAMPLE REC'D 5/23/06

Sampled By: CLIENT Date 5/21/2006 Time 13:06

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	5/21/2006 1:06:00PM				
N1 TOP					
Phosphorous as P	<0.010 mg/L	6/1/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	5/24/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	5/24/2006		EVD	SM 10200H
002 Sample Collected:	5/21/2006 1:06:00PM				
N1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	6/1/2006		MHD	EPA 200.7
003 Sample Collected:	5/21/2006 1:06:00PM				
N1 BOTTOM					
Phosphorous as P	lab accident mg/L	6/21/2006	10:46	NGB	EPA 200.7

This report has been reviewed and is electronically signed by:

 Nancy Burnett
 Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

TEST DATE
SAMPLE DATECHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS**CERTIFICATE OF ANALYSIS**WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570Date Reported 5/27/2005
Date Received 5/23/2005
Sample ID 0505-00888
Invoice No. 95085
Cust # W343
Cust P.O. #**Subject WATER SAMPLES FOR TESTING REC'D 5/23/05**

Sampled By: CLIENT

Date 5/22/2005 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	5/22/2005 12:00:00AM				
M-1					
Chlorophyll-A	3.8 mg/M3	5/24/2005	9:00	KJR	SM 10200H
Nitrate Nitrogen as N	0.20 mg/L	5/24/2005	15:30	KJR	4500-NO3-D
Phosphorous as P	<0.010 mg/L	5/24/2005		DLK	EPA 200.7
Temperature at Lab	6.0 Degrees C	5/23/2005		DJS	
002 Sample Collected:	5/22/2005 12:00:00AM				
M-B					
Phosphorous as P	<0.010 mg/L	5/24/2005		DLK	EPA 200.7
003 Sample Collected:	5/22/2005 12:00:00AM				
S-1					
Chlorophyll-A	7.3 mg/M3	5/24/2005	9:00	KJR	SM 10200H
Nitrate Nitrogen as N	<0.2 mg/L	5/24/2005	15:30	KJR	4500-NO3-D
Phosphorous as P	<0.010 mg/L	5/24/2005		DLK	EPA 200.7
004 Sample Collected:	5/22/2005 12:00:00AM				
S-B					
Phosphorous as P	<0.010 mg/L	5/24/2005		DLK	EPA 200.7

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL

Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
 DICK CAZEAULT
 P.O. BOX 156
 WEBSTER, MA 01570

Date Reported 5/27/2005
 Date Received 5/23/2005
 Sample ID 0505-00888
 Invoice No. 95085
 Cust # W343
 Cust P.O. #

Subject WATER SAMPLES FOR TESTING REC'D 5/23/05

Sampled By: CLIENT

Date 5/22/2005 Time

Test	Result	Date	Time	Tech	Method
005 Sample Collected:	5/22/2005 12:00:00AM				
N-1					
Chlorophyll-A	3.6 mg/M3	5/24/2005	9:00	KJR	SM 10200H
Nitrate Nitrogen as N	<0.2 mg/L	5/24/2005	15:30	KJR	4500-NO3-D
Phosphorous as P	<0.010 mg/L	5/24/2005		DLK	EPA 200.7
006 Sample Collected:	5/22/2005 12:00:00AM				
N-B					
Phosphorous as P	<0.010 mg/L	5/24/2005		DLK	EPA 200.7

This report has been reviewed and is electronically signed by:

Daniel J. Ste.Marie
 Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEALT
P.O. BOX 156
WEBSTER,MA 01570

Date Reported 6/9/2005
Date Received 6/6/2005
Sample ID 0506-00162
Invoice No. 95661
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 6/5/05

Sampled By: CLIENT Date 6/5/2005 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 6/5/2005 12:56:00PM					
M-1 SURFACE					
Chlorophyll-A	5.4 mg/M3	6/7/2005	9:30	KJR	SM 10200H
Nitrate Nitrogen as N	0.22 mg/L	6/8/2005	11:30	KJR	4500-NO3-D
Phosphorous as P	<0.010 mg/L	6/7/2005		DLK	EPA 200.7
Temperature at Lab	N/A Degrees C	6/6/2005		MAB	
002 Sample Collected: 6/5/2005 1:15:00PM					
M-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	6/7/2005		DLK	EPA 200.7
003 Sample Collected: 6/5/2005 1:15:00PM					
M-1 BOTTON					
Phosphorous as P	<0.010 mg/L	6/7/2005		DLK	EPA 200.7
004 Sample Collected: 6/5/2005 12:25:00PM					
S-1 SURFACE					
Chlorophyll-A	8.0 mg/M3	6/7/2005	9:30	KJR	SM 10200H
Nitrate Nitrogen as N	0.24 mg/L	6/8/2005	11:30	KJR	4500-NO3-D
Phosphorous as P	<0.010 mg/L	6/7/2005		DLK	EPA 200.7

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
 DICK CAZEAULT
 P.O. BOX 156
 WEBSTER, MA 01570

Date Reported 6/9/2005
 Date Received 6/6/2005
 Sample ID 0506-00162
 Invoice No. 95661
 Cust # W343
 Cust P.O. #

Subject WATER SAMPLES REC'D 6/5/05

Sampled By: CLIENT Date 6/5/2005 Time

Test	Result	Date	Time	Tech	Method
005 Sample Collected: 6/5/2005 12:15:00PM					
S-1 THERMOCLINE					
Phosphorous as P	0.012 mg/L	6/7/2005		DLK	EPA 200.7
006 Sample Collected: 6/5/2005 12:20:00PM					
S-1 BOTTOM					
Phosphorous as P	<0.010 mg/L	6/7/2005		DLK	EPA 200.7
007 Sample Collected: 6/5/2005 1:45:00PM					
N-1 SURFACE					
Chlorophyll-A	7.6 mg/M3	6/7/2005	9:30	KJR	SM 10200H
Nitrate Nitrogen as N	0.24 mg/L	6/8/2005	11:30	KJR	4500-NO3-D
Phosphorous as P	<0.010 mg/L	6/7/2005		DLK	EPA 200.7
008 Sample Collected: 6/5/2005 2:00:00PM					
N-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	6/7/2005		DLK	EPA 200.7
009 Sample Collected: 6/5/2005 1:52:00PM					

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 6/9/2005
Date Received 6/6/2005
Sample ID 0506-00162
Invoice No. 95661
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 6/5/05

Sampled By: CLIENT Date 6/5/2005 Time

Test Result Date Time Tech Method

N-1 BOTTOM

Phosphorous as P <0.010 mg/L 6/7/2005 DLK EPA 200.7

This report has been reviewed and is electronically signed by:

Daniel J. Ste.Marie
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Daniel J. Ste.Marie, Lab_Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 7/28/2005
Date Received 7/14/2005
Sample ID 0507-00555
Invoice No. 97964
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 7/14/05

Sampled By: CLIENT Date 7/13/2005 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 7/13/2005 10:39:00AM					
M-1 SURFACE					
Phosphorous as P	<0.010 mg/L	7/20/2005		DLK	EPA 200.7
Chlorophyll-A	<0.5 mg/M3	7/20/2005		DJS	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	7/15/2005		ENC	4500-NO3-D
Temperature at Lab	16.0 Degrees C	7/14/2005		DJS	
002 Sample Collected: 7/13/2005 10:49:00AM					
M-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	7/20/2005		DLK	EPA 200.7
003 Sample Collected: 7/13/2005 10:40:00AM					
M-1 BOTTOM					
Phosphorous as P	<0.010 mg/L	7/20/2005		DLK	EPA 200.7
004 Sample Collected: 7/13/2005 9:55:00AM					
S-1 SURFACE					
Phosphorous as P	<0.010 mg/L	7/20/2005		DLK	EPA 200.7
Chlorophyll-A	2.9 mg/M3	7/20/2005		DJS	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	7/15/2005		ENC	4500-NO3-D

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



MASSACHUSETTS DIVISION
 148 Bartlett Street
 Marlborough, MA 01752
 (508) 460-7600 Fax (508) 460-7777
 Daniel J. Ste.Marie, Lab Director
 www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
 DICK CAZEAULT
 P.O. BOX 156
 WEBSTER,MA 01570

Date Reported 7/28/2005
 Date Received 7/14/2005
 Sample ID 0507-00555
 Invoice No. 97964
 Cust # W343
 Cust P.O. #

Subject WATER SAMPLES REC'D 7/14/05

Sampled By: CLIENT Date 7/13/2005 Time

Test	Result	Date	Time	Tech	Method
005 Sample Collected: 7/13/2005 10:12:00AM					
S-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	7/20/2005		DLK	EPA 200.7
006 Sample Collected: 7/13/2005 10:06:00AM					
S-1 BOTTOM					
Phosphorous as P	<0.010 mg/L	7/20/2005		DLK	EPA 200.7
007 Sample Collected: 7/13/2005 11:10:00AM					
N-1 SURFACE					
Phosphorous as P	<0.010 mg/L	7/22/2005		DLK	EPA 200.7
Chlorophyll-A	4.2 mg/M3	7/20/2005		DJS	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	7/15/2005		ENC	4500-NO3-D
008 Sample Collected: 7/13/2005 11:27:00AM					
N-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	7/22/2005		DLK	EPA 200.7
009 Sample Collected: 7/13/2005 11:16:00AM					
N-1 BOTTOM					

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Daniel J. Ste.Marie, Lab Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 7/28/2005
Date Received 7/14/2005
Sample ID 0507-00555
Invoice No. 97964
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 7/14/05

Sampled By: CLIENT Date 7/13/2005 Time

Test	Result	Date	Time	Tech	Method
009 Sample Collected:	7/13/2005 11:16:00AM				
N-1 BOTTOMcontinued					
Phosphorous as P	<0.010 mg/L	7/22/2005		DLK	EPA 200.7
Temperature in Field	N/A Degrees C	7/14/2005		DJS	

This report has been reviewed and is electronically signed by:

Daniel J. Ste.Marie
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570Date Reported 8/4/2005
Date Received 7/28/2005
Sample ID 0507-01379
Invoice No. 98365
Cust # W343
Cust P.O. #**Subject WATER SAMPLES REC'D 7/28/05**

Sampled By: CLIENT

Date 7/27/2005 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	7/27/2005 12:00:00AM				
M-1 SURFACE					
Phosphorous as P	<0.010 mg/L	7/29/2005		DLK	EPA 200.7
Chlorophyll-A	4.6 mg/M3	7/29/2005		ENC	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	7/29/2005		ENC	4500-NO3-D
Temperature at Lab	8 Degrees C	7/28/2005		DJS	
002 Sample Collected:	7/27/2005 12:00:00AM				
M-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	7/29/2005		DLK	EPA 200.7
003 Sample Collected:	7/27/2005 12:00:00AM				
M-1 BOTTOM					
Phosphorous as P	<0.010 mg/L	7/29/2005		DLK	EPA 200.7
004 Sample Collected:	7/27/2005 12:00:00AM				
S-1 SURFACE					
Phosphorous as P	<0.010 mg/L	7/29/2005		DLK	EPA 200.7
Chlorophyll-A	4.0 mg/M3	7/29/2005		ENC	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	7/29/2005		ENC	4500-NO3-D

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and ResearchMEMBER
ACIL

MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Daniel J. Ste.Marie, Lab Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 8/4/2005
Date Received 7/28/2005
Sample ID Q507-01379
Invoice No. 98365
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 7/28/05

Sampled By: CLIENT Date 7/27/2005 Time

Test	Result	Date	Time	Tech	Method
005 Sample Collected: 7/27/2005 12:00:00AM					
S-1 THERMOCLINE					
Phosphorous as P	0.010 mg/L	7/29/2005		DLK	EPA 200.7
006 Sample Collected: 7/27/2005 12:00:00AM					
S-1 BOTTOM					
Phosphorous as P	<0.010 mg/L	7/29/2005		DLK	EPA 200.7
007 Sample Collected: 7/27/2005 12:00:00AM					
N-1 SURFACE					
Phosphorous as P	<0.010 mg/L	7/29/2005		DLK	EPA 200.7
Chlorophyll-A	3.4 mg/M3	7/29/2005		ENC	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	7/29/2005		ENC	4500-NO3-D
008 Sample Collected: 7/27/2005 12:00:00AM					
N-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	7/29/2005		DLK	EPA 200.7
009 Sample Collected: 7/27/2005 12:00:00AM					
N-1 BOTTOM					

Current State Certification IDs:
IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 8/4/2005
Date Received 7/28/2005
Sample ID 0507-01379
Invoice No. 98365
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 7/28/05

Sampled By: CLIENT Date 7/27/2005 Time

Test	Result	Date	Time	Tech	Method
009 Sample Collected:	7/27/2005 12:00:00AM				
N-1 BOTTOMcontinued					
Phosphorous as P	0.017 mg/L	7/29/2005		DLK	EPA 200.7
Temperature in Field	8 Degrees C	7/28/2005		DJS	

This report has been reviewed and is electronically signed by:

Daniel J. Ste.Marie
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION

148 Bartlett Street
Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 8/23/2005
Date Received 8/12/2005
Sample ID 0508-00657
Invoice No. 99181
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 8/12/05

Sampled By: CLIENT Date 8/10/2005 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 8/10/2005 10:15:00AM					
M-1 SURFACE					
Phosphorous as P	<0.010 mg/L	8/16/2005		DLK	EPA 200.7
Chlorophyll-A	2.4 mg/M3	8/15/2005		ENC	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	8/12/2005		ENC	4500-NO3-D
Temperature at Lab	N/A Degrees C	8/12/2005		DJS	
002 Sample Collected: 8/10/2005 10:15:00AM					
M-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	8/16/2005		DLK	EPA 200.7
003 Sample Collected: 8/10/2005 10:15:00AM					
M-1 BOTTOM					
Phosphorous as P	<0.010 mg/L	8/16/2005		DLK	EPA 200.7
004 Sample Collected: 8/10/2005 9:40:00AM					
S-1 SURFACE					
Phosphorous as P	<0.010 mg/L	8/16/2005		DLK	EPA 200.7
Chlorophyll-A	2.9 mg/M3	8/15/2005		ENC	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	8/12/2005		ENC	4500-NO3-D

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Daniel J. Ste.Marie, Lab Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 8/23/2005
Date Received 8/12/2005
Sample ID 0508-00657
Invoice No. 99181
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 8/12/05

Sampled By: CLIENT Date 8/10/2005 Time

Test	Result	Date	Time	Tech	Method
005 Sample Collected:	8/10/2005 9:40:00AM				
S-1 THERMOCLINE					
Phosphorous as P	0.012 mg/L	8/16/2005		DLK	EPA 200.7
006 Sample Collected:	8/10/2005 9:40:00AM				
S-1 BOTTOM					
Phosphorous as P	0.018 mg/L	8/16/2005		DLK	EPA 200.7
007 Sample Collected:	8/10/2005 11:00:00AM				
N-1 SURFACE					
Phosphorous as P	<0.010 mg/L	8/16/2005		DLK	EPA 200.7
Chlorophyll-A	4.3 mg/M3	8/15/2005		ENC	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	8/12/2005		ENC	4500-NO3-D
008 Sample Collected:	8/10/2005 11:00:00AM				
N-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	8/16/2005		DLK	EPA 200.7
009 Sample Collected:	8/10/2005 11:00:00AM				
N-1 BOTTOM					

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Daniel J. Ste.Marie, Lab Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 8/23/2005
Date Received 8/12/2005
Sample ID Q508-00657
Invoice No. 99181
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 8/12/05

Sampled By: CLIENT Date 8/10/2005 Time

Test	Result	Date	Time	Tech	Method
009 Sample Collected: 8/10/2005 11:00:00AM					
N-1 BOTTOMcontinued					
Phosphorous as P	<0.010 mg/L	8/16/2005		DLK	EPA 200.7
Temperature in Field	N/A Degrees C	8/11/2005	11:00	DJS	
010 Sample Collected: 8/10/2005 12:00:00AM					
SMITH SURFACE					
Nitrate Nitrogen as N	<0.5 mg/L	8/12/2005		ENC	4500-NO3-D
Phosphorous as P	<0.010 mg/L	8/17/2005		DLK	EPA 200.7
011 Sample Collected: 8/10/2005 12:00:00AM					
SMITH: THERMOCLINE					
Phosphorous as P	<0.010 mg/L	8/17/2005		DLK	EPA 200.7
012 Sample Collected: 8/10/2005 12:00:00AM					
SMITH BOTTOM					
Phosphorous as P	<0.010 mg/L	8/17/2005		DLK	EPA 200.7

Current State Certification IDs:
IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research





® Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Daniel J. Ste.Marie, Lab Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER,MA 01570

Date Reported 8/23/2005
Date Received 8/12/2005
Sample ID Q508-00657
Invoice No. 99181
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 8/12/05

Sampled By: CLIENT Date 8/10/2005 Time

Test Result Date Time Tech Method

This report has been reviewed and is electronically signed by:

Daniel J. Ste.Marie
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Daniel J. Ste.Marie, Lab Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEALT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 9/5/2005
Date Received 8/26/2005
Sample ID 0508-01423
Invoice No. 99950
Cust # W343
Cust P.O. #

Subject **WATER SAMPLES REC'D 8/26/05**

Sampled By: CLIENT

Date 8/24/2005 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 8/24/2005 10:42:00AM					
M-1 SURFACE					
Phosphorous as P	<0.010 mg/L	8/31/2005		DLK	EPA 200.7
Chlorophyll-A	4.4 mg/M3	8/29/2005		ENC	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	8/26/2005		ENC	4500-NO3-D
Temperature at Lab	N/A Degrees C	8/26/2005		DJS	
002 Sample Collected: 8/24/2005 10:42:00AM					
M-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	8/31/2005		DLK	EPA 200.7
003 Sample Collected: 8/24/2005 10:42:00AM					
M-1 BOTTOM					
Phosphorous as P	<0.010 mg/L	8/31/2005		DLK	EPA 200.7
004 Sample Collected: 8/24/2005 9:52:00AM					
S-1 SURFACE					
Phosphorous as P	<0.010 mg/L	8/31/2005		DLK	EPA 200.7
Chlorophyll-A	5.3 mg/M3	8/29/2005		ENC	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	8/26/2005		ENC	4500-NO3-D

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



Microbac

® Microbac Laboratories, Inc.

Page 2 of 3

MASSACHUSETTS DIVISION

148 Bartlett Street
Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 9/5/2005
Date Received 8/26/2005
Sample ID 0508-01423
Invoice No. 99950
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 8/26/05

Sampled By: CLIENT Date 8/24/2005 Time

Test	Result	Date	Time	Tech	Method
005 Sample Collected: 8/24/2005 9:52:00AM					
S-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	8/31/2005		DLK	EPA 200.7
006 Sample Collected: 8/24/2005 9:52:00AM					
S-1 BOTTOM					
Phosphorous as P	0.020 mg/L	8/31/2005		DLK	EPA 200.7
007 Sample Collected: 8/24/2005 11:24:00AM					
N-1 SURFACE					
Phosphorous as P	<0.010 mg/L	8/31/2005		DLK	EPA 200.7
Chlorophyll-A	3.5 mg/M3	8/29/2005		ENC	SM 10200H
Nitrate Nitrogen as N	<0.5 mg/L	8/26/2005		ENC	4500-NO3-D
008 Sample Collected: 8/24/2005 11:24:00AM					
N-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	8/31/2005		DLK	EPA 200.7
009 Sample Collected: 8/24/2005 11:24:00AM					
N-1 BOTTOM					

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL


®Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

 WEBSTER LAKE ASSOCIATION
 DICK CAZEAULT
 P.O. BOX 156
 WEBSTER, MA 01570

 Date Reported 9/5/2005
 Date Received 8/26/2005
 Sample ID 0508-01423
 Invoice No. 99950
 Cust # W343
 Cust P.O. #

Subject WATER SAMPLES REC'D 8/26/05

Sampled By: CLIENT Date 8/24/2005 Time

Test	Result	Date	Time	Tech	Method
009 Sample Collected:	8/24/2005 11:24:00AM				
N-1 BOTTOM					
.....continued					
Phosphorous as P	<0.010 mg/L	8/31/2005		DLK	EPA 200.7
Temperature in Field	N/A Degrees C	8/26/2005		DJS	
010 Sample Collected:	8/24/2005 12:27:00PM				
SMITH'S COVE OUTFALL					
Nitrate Nitrogen as N	<0.5 mg/L	8/26/2005		ENC	4500-NO3-D
Phosphorous as P	<0.010 mg/L	8/31/2005		DLK	EPA 200.7

This report has been reviewed and is electronically signed by:

 Daniel J. Ste.Marie
 Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEAULT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 9/20/2005
Date Received 9/12/2005
Sample ID 0509-00677
Invoice No. 677
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 9/8/05

Sampled By: CLIENT Date 9/8/2005 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 9/8/2005 4:15:00PM					
M-1 SURFACE					
Phosphorous as P	<0.010 mg/L	9/14/2005		DLK	EPA 200.7
Chlorophyll-A	7.1 mg/M3	9/12/2005	12:00	EVD	SM 10200H
Nitrate Nitrogen as N	0.59 mg/L	9/15/2005	17:15	EVD	4500-NO3-D
Temperature at Lab	N/A Degrees C	9/12/2005		MAB	
002 Sample Collected: 9/8/2005 4:15:00PM					
M-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	9/14/2005		DLK	EPA 200.7
003 Sample Collected: 9/8/2005 4:15:00PM					
M-1 BOTTOM					
Phosphorous as P	0.33 mg/L	9/15/2005		DLK	EPA 200.7
004 Sample Collected: 9/8/2005 3:30:00PM					
S-1 SURFACE					
Phosphorous as P	<0.010 mg/L	9/14/2005		DLK	EPA 200.7
Chlorophyll-A	20 mg/M3	9/12/2005	12:00	EVD	SM 10200H
Nitrate Nitrogen as N	0.59 mg/L	9/15/2005	17:15	EVD	4500-NO3-D

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER




®Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
DICK CAZEALT
P.O. BOX 156
WEBSTER, MA 01570

Date Reported 9/20/2005
Date Received 9/12/2005
Sample ID 0509-00677
Invoice No. 677
Cust # W343
Cust P.O. #

Subject WATER SAMPLES REC'D 9/8/05

Sampled By: CLIENT Date 9/8/2005 Time

Test	Result	Date	Time	Tech	Method
005 Sample Collected:	9/8/2005 3:30:00PM				
S-1 THERMOCLINE					
Phosphorous as P	0.29 mg/L	9/15/2005		DLK	EPA 200.7
006 Sample Collected:	9/8/2005 3:30:00PM				
S-1 BOTTOM					
Phosphorous as P	<0.010 mg/L	9/14/2005		DLK	EPA 200.7
007 Sample Collected:	9/8/2005 4:30:00PM				
N-1 SURFACE					
Phosphorous as P	<0.010 mg/L	9/14/2005		DLK	EPA 200.7
Chlorophyll-A	3.6 mg/M3	9/12/2005	12:00	EVD	SM 10200H
Nitrate Nitrogen as N	0.57 mg/L	9/15/2005	17:15	EVD	4500-NO3-D
008 Sample Collected:	9/8/2005 4:30:00PM				
N-1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	9/14/2005		DLK	EPA 200.7
009 Sample Collected:	9/8/2005 4:30:00PM				
N-1 BOTTOM					

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL



® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Daniel J. Ste.Marie, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
 DICK CAZEAULT
 P.O. BOX 156
 WEBSTER,MA 01570

Date Reported 9/20/2005
 Date Received 9/12/2005
 Sample ID 0509-00677
 Invoice No. 677
 Cust # W343
 Cust P.O. #

Subject WATER SAMPLES REC'D 9/8/05

Sampled By: CLIENT Date 9/8/2005 Time

Test	Result	Date	Time	Tech	Method
009 Sample Collected: 9/8/2005 4:30:00PM					
N-1 BOTTOM					
.....continued					
Phosphorous as P	<0.010 mg/L	9/14/2005		DLK	EPA 200.7
Temperature in Field	N/A Degrees C	9/12/2005		MAB	
010 Sample Collected: 9/8/2005 5:00:00PM					
SMITH'S COVE OUTFALL					
Nitrate Nitrogen as N	0.55 mg/L	9/15/2005	17:15	EVD	4500-NO3-D
Phosphorous as P	<0.010 mg/L	9/14/2005		DLK	EPA 200.7
Chlorophyll-A	7.9 mg/M3	9/12/2005	12:00	EVD	SM 10200H

This report has been reviewed and is electronically signed by:

Daniel J. Ste.Marie
 Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

