


Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 6/22/2006
Date Received 6/13/2006
Sample ID 0606-01037
Invoice No. 12751
Cust # W343
Cust P.O. #

Subject S1 SAMPLES FOR TESTING 6/13/06

Sampled By: CLIENT

Date 6/11/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 6/11/2006 11:30:00AM					
S1 TOP					
Phosphorous as P	0.012 mg/L	6/16/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	6/14/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	6/20/2006		EVD	SM 10200H
002 Sample Collected: 6/11/2006 11:53:00AM					
S1 THERMOCLINE					
Phosphorous as P	0.011 mg/L	6/16/2006		MHD	EPA 200.7
003 Sample Collected: 6/11/2006 11:27:00AM					
S1 BOTTOM					
Phosphorous as P	0.040 mg/L	6/16/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER





Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION
 148 Bartlett Street
 Marlborough, MA 01752
 (508) 460-7600 Fax (508) 460-7777
 Nancy Burnett, Lab Director
 www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
 ERNIE BENOIT
 86 POINT BREEZE ROAD
 WEBSTER, MA 01570

Date Reported 6/22/2006
 Date Received 6/13/2006
 Sample ID 0606-01038
 Invoice No. 12752
 Cust # W343
 Cust P.O. #

Subject M1 SAMPLES REC'D 6/13/06

Sampled By: CLIENT Date 6/11/2006 Time

Test	Result	Date	Time	Tech	Method
------	--------	------	------	------	--------

001 Sample Collected: 6/11/2006 12:05:00PM
M1 TOP

Phosphorous as P	<0.010 mg/L	6/16/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	6/14/2006		EVD	4500-NO3-E
Chlorophyll-A	6.5 mg/M3	6/20/2006		EVD	SM 10200H

002 Sample Collected: 6/11/2006 12:23:00PM
M1 THERMOCLINE

Phosphorous as P	<0.010 mg/L	6/16/2006		MHD	EPA 200.7
------------------	-------------	-----------	--	-----	-----------

003 Sample Collected: 6/11/2006 12:11:00PM
M1 BOTTOM

Phosphorous as P	<0.010 mg/L	6/16/2006		MHD	EPA 200.7
------------------	-------------	-----------	--	-----	-----------

This report has been reviewed and is electronically signed by:

Nancy Burnett
 Laboratory Director

Current State Certification IDs:
 IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research





® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 6/22/2006
Date Received 6/13/2006
Sample ID 0606-01039
Invoice No. 12753
Cust # W343
Cust P.O. #

Subject N1 SAMPLES REC'D 6/13/06

Sampled By: CLIENT

Date 6/11/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	6/11/2006 1:01:00PM				
N1 TOP					
Phosphorous as P	<0.010 mg/L	6/16/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	6/14/2006		EVD	4500-NO3-E
Chlorophyll-A	21 mg/M3	6/20/2006		EVD	SM 10200H
002 Sample Collected:	6/11/2006 1:11:00PM				
N1 BOTTOM					
Phosphorous as P	0.039 mg/L	6/16/2006		MHD	EPA 200.7

NOTE THERMOCLINE SAMPLE LOST IN ICE CHEST.

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL



Microbac

® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 7/11/2006
Date Received 6/30/2006
Sample ID 0606-01616
Invoice No. 13621
Cust # W343
Cust P.O. #

Subject S1 SAMPLES FOR TESTING 6/30/06

Sampled By: CLIENT Date 6/29/2006 Time 11:30

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 6/29/2006 11:30:00AM					
S1 TOP					
Phosphorous as P	<0.010 mg/L	7/5/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	6/30/2006		EVD	4500-NO3-E
Chlorophyll-A	21 mg/M3	7/7/2006		EVD	SM 10200H
002 Sample Collected: 6/29/2006 11:30:00AM					
S1 THERMOCLINE					
Phosphorous as P	0.013 mg/L	7/5/2006		MHD	EPA 200.7
003 Sample Collected: 6/29/2006 11:30:00AM					
S1 BOTTOM					
Phosphorous as P	0.019 mg/L	7/6/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL


Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 7/11/2006
Date Received 6/30/2006
Sample ID 0606-01617
Invoice No. 13622
Cust # W343
Cust P.O. #

Subject M1 SAMPLES REC'D 6/30/06

Sampled By: CLIENT

Date 6/29/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	6/29/2006 12:10:00PM				
M1 TOP					
Phosphorous as P	<0.010 mg/L	7/5/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	6/30/2006		EVD	4500-NO3-E
Chlorophyll-A	28 mg/M3	7/5/2006		EVD	SM 10200H
002 Sample Collected:	6/29/2006 12:21:00PM				
M1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	7/5/2006		MHD	EPA 200.7
003 Sample Collected:	6/29/2006 12:16:00PM				
M1 BOTTOM					
Phosphorous as P	0.011 mg/L	7/6/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER
ACIL



MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Nancy Burnett, Lab Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER,MA 01570

Date Reported 7/11/2006
Date Received 6/30/2006
Sample ID Q606-01618
Invoice No. 13623
Cust # W343
Cust P.O. #

Subject N1 SAMPLES REC'D 6/30/06

Sampled By: CLIENT Date 6/29/2006 Time 13:05

Table with columns: Test, Result, Date, Time, Tech, Method. Contains three sample entries (001, 002, 003) with their respective test results and collection details.

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research





Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION
 148 Bartlett Street
 Marlborough, MA 01752
 (508) 460-7600 Fax (508) 460-7777
 Nancy Burnett, Lab Director
 www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
 ERNIE BENOIT
 86 POINT BREEZE ROAD
 WEBSTER, MA 01570

Date Reported 8/3/2006
 Date Received 7/14/2006
 Sample ID 0607-01109
 Invoice No. 15086
 Cust # W343
 Cust P.O. #

Subject S1 SAMPLES FOR TESTING 7/14/06

Sampled By: CLIENT Date 7/13/2006 Time 11:20

Test	Result	Date	Time	Tech	Method
------	--------	------	------	------	--------

001 Sample Collected: 7/13/2006 11:20:00AM
S1 TOP

Phosphorous as P	<0.016 mg/L	7/25/2006	9:04	MRV	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	7/14/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	7/18/2006		EVD	SM 10200H

002 Sample Collected: 7/13/2006 11:32:00AM
S1 THERMOCLINE

Phosphorous as P	<0.016 mg/L	7/25/2006	9:04	MRV	EPA 200.7
------------------	-------------	-----------	------	-----	-----------

003 Sample Collected: 7/13/2006 11:29:00AM
S1 BOTTOM

Phosphorous as P	0.025 mg/L	7/25/2006	9:04	MRV	EPA 200.7
------------------	------------	-----------	------	-----	-----------

This report has been reviewed and is electronically signed by:

Nancy Burnett
 Laboratory Director

Current State Certification IDs:
 IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research




Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 8/3/2006
Date Received 7/14/2006
Sample ID 0607-01111
Invoice No. 15088
Cust # W343
Cust P.O. #

Subject M1 SAMPLES REC'D 7/14/06

Sampled By: CLIENT

Date 7/13/2006 Time 11:57

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 7/13/2006 11:57:00AM					
M1 TOP					
Phosphorous as P	<0.016 mg/L	7/25/2006	9:27	MRV	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	7/14/2006		EVD	4500-NO3-E
Chlorophyll-A	6.5 mg/M3	7/18/2006		EVD	SM 10200H
002 Sample Collected: 7/13/2006 12:00:00PM					
M1 THERMOCLINE					
Phosphorous as P	0.017 mg/L	7/25/2006	9:27	MRV	EPA 200.7
003 Sample Collected: 7/13/2006 11:53:00AM					
M1 BOTTOM					
Phosphorous as P	0.017 mg/L	7/25/2006	9:27	MRV	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL

Microbac

® **Microbac Laboratories, Inc.**

Page 1 of 1

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 8/3/2006
Date Received 7/14/2006
Sample ID 0607-01110
Invoice No. 15087
Cust # W343
Cust P.O. #

Subject N1 SAMPLES REC'D 7/14/06

Sampled By: CLIENT Date 7/13/2006 Time 12:20

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 7/13/2006 12:20:00PM					
N1 TOP					
Phosphorous as P	0.029 mg/L	7/25/2006	9:15	MRV	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	7/14/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	7/18/2006		EVD	SM 10200H
002 Sample Collected: 7/13/2006 12:27:00PM					
N1 THERMOCLINE					
Phosphorous as P	0.018 mg/L	7/25/2006	9:15	MRV	EPA 200.7
003 Sample Collected: 7/13/2006 12:21:00PM					
N1 BOTTOM					
Phosphorous as P	<0.016 mg/L	7/25/2006	9:15	MRV	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL

SURFACE SAMPLES 7/27/06

Sample Identification				Laboratory Results			
Site number/name	Date	Time	Initials	Nitrate	Time	Phosphate	Time
So pond surface	7/27	1045	RC	0.08 ppm	1045	0.00 ppm	1045
middle pond	7/27	1120	RC	0.10 ppm	1120	0.00 ppm	1120
North pond	7/27	1230	RC	0.00 ppm	1230	0.09 ppm	1230
				<.4 ppm		<.016 ppm	
				<.4 ppm		<.016 ppm	
				<.4 ppm		0.029 ppm	

CAB {

Samples Relinquished: _____ (Field Operations Manager)

Samples Accepted: T.C. Ryzewski (Laboratory Data Manager)

Data Reviewed: _____ (Quality Manager Data)

Entered: _____

Microbac

® **Microbac Laboratories, Inc.**

Page 1 of 1

MASSACHUSETTS DIVISION

148 Bartlett Street
Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 8/15/2006
Date Received 7/28/2006
Sample ID 0607-01567
Invoice No. 15540
Cust # W343
Cust P.O. #

Subject S1 SAMPLES FOR TESTING 7/28/06

Sampled By: CLIENT Date 7/27/2006 Time 10:30

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 7/27/2006 10:28:00AM					
S1 TOP					
Phosphorous as P	0.017 mg/L	8/4/2006	15:28	MRV	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	7/28/2006		EVD	4500-NO3-E
Chlorophyll-A	7.2 mg/M3	8/1/2006		EVD	SM 10200H
002 Sample Collected: 7/27/2006 10:50:00AM					
S1 THERMOCLINE					
Phosphorous as P	0.024 mg/L	8/4/2006	15:28	MRV	EPA 200.7
003 Sample Collected: 7/27/2006 10:34:00AM					
S1 BOTTOM					
Phosphorous as P	0.022 mg/L	8/4/2006	15:28	MRV	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER
ACIL

MASSACHUSETTS DIVISION

148 Bartlett Street
Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570Date Reported 8/15/2006
Date Received 7/28/2006
Sample ID 0607-01568
Invoice No. 15541
Cust # W343
Cust P.O. #**Subject M1 SAMPLES REC'D 7/28/06**

Sampled By: CLIENT Date 7/27/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 7/27/2006 11:12:00AM					
M1 TOP					
Phosphorous as P	<0.016 mg/L	8/4/2006	15:28	MRV	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	7/28/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	8/1/2006		EVD	SM 10200H
002 Sample Collected: 7/27/2006 11:19:00AM					
M1 THERMOCLINE					
Phosphorous as P	<0.016 mg/L	8/4/2006	15:28	MRV	EPA 200.7
003 Sample Collected: 7/27/2006 11:15:00AM					
M1 BOTTOM					
Phosphorous as P	<0.016 mg/L	8/4/2006	15:28	MRV	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER
ACIL


Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 8/15/2006
Date Received 7/28/2006
Sample ID 0607-01569
Invoice No. 15542
Cust # W343
Cust P.O. #

Subject N1 SAMPLES REC'D 7/28/06

Sampled By: CLIENT Date 7/27/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 7/27/2006 12:20:00PM					
N1 TOP					
Phosphorous as P	<0.016 mg/L	8/4/2006	15:29	MRV	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	7/28/2006		EVD	4500-NO3-E
Chlorophyll-A	6.2 mg/M3	8/1/2006		EVD	SM 10200H
002 Sample Collected: 7/27/2006 12:34:00PM					
N1 THERMOCLINE					
Phosphorous as P	<0.016 mg/L	8/4/2006	15:29	MRV	EPA 200.7
003 Sample Collected: 7/27/2006 12:23:00PM					
N1 BOTTOM					
Phosphorous as P	0.017 mg/L	8/4/2006	15:29	MRV	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:

IN, C-MA-02; KY, #90138; ME, MA003; MA, M-MA003; RI, #00280; VT, listed

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL


Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 8/18/2006
Date Received 8/11/2006
Sample ID 0608-00976
Invoice No. 15765
Cust # W343
Cust P.O. #

Subject S1 SAMPLES FOR TESTING 8/11/06

Sampled By: CLIENT

Date 8/10/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 8/10/2006 11:26:00AM					
S1 TOP					
Phosphorous as P	0.0091 mg/L	8/16/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	8/11/2006		EVD	4500-NO3-E
Chlorophyll-A	2.1 mg/M3	8/15/2006		EVD	SM 10200H
002 Sample Collected: 8/10/2006 11:31:00AM					
S1 THERMOCLINE					
Phosphorous as P	0.016 mg/L	8/16/2006		MHD	EPA 200.7
003 Sample Collected: 8/10/2006 11:24:00AM					
S1 BOTTOM					
Phosphorous as P	0.016 mg/L	8/16/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570Date Reported 8/18/2006
Date Received 8/11/2006
Sample ID 0608-00975
Invoice No. 15764
Cust # W343
Cust P.O. #**Subject M1 SAMPLES REC'D 8/11/06**

Sampled By: CLIENT Date 8/10/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 8/10/2006 11:56:00AM					
M1 TOP					
Phosphorous as P	0.0091 mg/L	8/16/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	8/11/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	8/15/2006		EVD	SM 10200H
002 Sample Collected: 8/10/2006 12:05:00PM					
M1 THERMOCLINE					
Phosphorous as P	0.0098 mg/L	8/16/2006		MHD	EPA 200.7
003 Sample Collected: 8/10/2006 11:56:00AM					
M1 BOTTOM					
Phosphorous as P	0.012 mg/L	8/16/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory DirectorCurrent State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570Date Reported 8/18/2006
Date Received 8/11/2006
Sample ID 0608-00974
Invoice No. 15763
Cust # W343
Cust P.O. #**Subject N1 SAMPLES REC'D 8/11/06**

Sampled By: CLIENT Date 8/10/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 8/10/2006 12:33:00PM					
N1 TOP					
Phosphorous as P	0.0059 mg/L	8/16/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	8/11/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	8/15/2006		EVD	SM 10200H
002 Sample Collected: 8/10/2006 12:40:00PM					
N1 THERMOCLINE					
Phosphorous as P	0.0087 mg/L	8/16/2006		MHD	EPA 200.7
003 Sample Collected: 8/10/2006 12:35:00PM					
N1 BOTTOM					
Phosphorous as P	0.0078 mg/L	8/16/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory DirectorCurrent State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and ResearchMEMBER
ACIL


Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

 WEBSTER LAKE ASSOCIATION
 ERNIE BENOIT
 86 POINT BREEZE ROAD
 WEBSTER, MA 01570

 Date Reported 8/31/2006
 Date Received 8/25/2006
 Sample ID 0608-01334
 Invoice No. 16681
 Cust # W343
 Cust P.O. #

Subject S1 SAMPLES FOR TESTING 8/25/06

Sampled By: CLIENT

Date 8/24/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 8/24/2006 11:13:00AM					
S1 TOP					
Phosphorous as P	<0.010 mg/L	8/29/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	8/25/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	8/29/2006		EVD	SM 10200H
002 Sample Collected: 8/24/2006 11:13:00AM					
S1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	8/29/2006		MHD	EPA 200.7
003 Sample Collected: 8/24/2006 11:14:00AM					
S1 BOTTOM					
Phosphorous as P	0.014 mg/L	8/29/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

 Nancy Burnett
 Laboratory Director

 Current State Certification IDs:
 ME, MA003; MA, M-MA003; RI, #00280;

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER




Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

 WEBSTER LAKE ASSOCIATION
 ERNIE BENOIT
 86 POINT BREEZE ROAD
 WEBSTER, MA 01570

 Date Reported 8/31/2006
 Date Received 8/25/2006
 Sample ID 0608-01333
 Invoice No. 16680
 Cust # W343
 Cust P.O. #

Subject M1 SAMPLES REC'D 8/25/06

Sampled By: CLIENT Date 8/24/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 8/24/2006 11:48:00AM					
M1 TOP					
Phosphorous as P	<0.010 mg/L	8/29/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	8/25/2006		EVD	4500-NO3-E
Chlorophyll-A	5.7 mg/M3	8/29/2006		EVD	SM 10200H
002 Sample Collected: 8/24/2006 11:55:00AM					
M1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	8/29/2006		MHD	EPA 200.7
003 Sample Collected: 8/24/2006 11:47:00AM					
M1 BOTTOM					
Phosphorous as P	<0.010 mg/L	8/29/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

 Nancy Burnett
 Laboratory Director

 Current State Certification IDs:
 ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER




Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 8/31/2006
Date Received 8/25/2006
Sample ID 0608-01332
Invoice No. 16679
Cust # W343
Cust P.O. #

Subject N1 SAMPLES REC'D 8/25/06

Sampled By: CLIENT Date 8/24/2006 Time 12:30

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 8/24/2006 12:27:00PM					
N1 TOP					
Phosphorous as P	<0.010 mg/L	8/29/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	8/25/2006		EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	8/29/2006		EVD	SM 10200H
002 Sample Collected: 8/24/2006 12:35:00PM					
N1 THERMOCLINE					
Phosphorous as P	0.023 mg/L	8/29/2006		MHD	EPA 200.7
003 Sample Collected: 8/24/2006 12:29:00PM					
N1 BOTTOM					
Phosphorous as P	<0.010 mg/L	8/29/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER




Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 9/19/2006
Date Received 9/12/2006
Sample ID 0609-00925
Invoice No. 17290
Cust # W343
Cust P.O. #

Subject S1 SAMPLES FOR TESTING 9/12/06

Sampled By: CLIENT

Date 9/10/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	9/10/2006 11:19:00AM				
S1 TOP					
Phosphorous as P	<0.010 mg/L	9/14/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	9/13/2006	12:00	EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	9/13/2006		EVD	SM 10200H
002 Sample Collected:	9/10/2006 11:31:00AM				
S1 THERMOCLINE					
Phosphorous as P	0.013 mg/L	9/14/2006		MHD	EPA 200.7
003 Sample Collected:	9/10/2006 11:19:00AM				
S1 BOTTOM					
Phosphorous as P	0.012 mg/L	9/14/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER





MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Nancy Burnett, Lab Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER,MA 01570

Date Reported 9/19/2006
Date Received 9/12/2006
Sample ID 0609-00926
Invoice No. 17291
Cust # W343
Cust P.O. #

Subject M1 SAMPLES REC'D 9/12/06

Sampled By: CLIENT Date 9/10/2006 Time

Table with columns: Test, Result, Date, Time, Tech, Method. Contains three sample entries (001, 002, 003) with their respective test results and collection details.

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research




Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

 WEBSTER LAKE ASSOCIATION
 ERNIE BENOIT
 86 POINT BREEZE ROAD
 WEBSTER, MA 01570

 Date Reported 9/19/2006
 Date Received 9/12/2006
 Sample ID 0609-00927
 Invoice No. 17292
 Cust # W343
 Cust P.O. #

Subject N1 SAMPLES REC'D 9/12/06

Sampled By: CLIENT Date 9/10/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 9/10/2006 12:24:00PM					
N1 TOP					
Phosphorous as P	<0.010 mg/L	9/14/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	9/13/2006	12:00	EVD	4500-NO3-E
Chlorophyll-A	12 mg/M3	9/13/2006		EVD	SM 10200H
002 Sample Collected: 9/10/2006 12:35:00PM					
N1 THERMOCLINE					
Phosphorous as P	<0.010 mg/L	9/14/2006		MHD	EPA 200.7
003 Sample Collected: 9/10/2006 12:25:00PM					
N1 BOTTOM					
Phosphorous as P	0.012 mg/L	9/14/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:


 Nancy Burnett
 Laboratory Director

 Current State Certification IDs:
 ME, MA003; MA, M-MA003; RI, #00280;

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER





MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER,MA 01570

Date Reported 10/17/2006
Date Received 10/10/2006
Sample ID 0610-00927
Invoice No. 18676
Cust # W343
Cust P.O. #

Subject S1 SAMPLES FOR TESTING 10/10/06

Sampled By: CLIENT Date 10/8/2006 Time

Table with columns: Test, Result, Date, Time, Tech, Method. Contains three sample entries (001, 002, 003) with their respective test results and collection details.

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research




Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 10/17/2006
Date Received 10/10/2006
Sample ID 0610-00926
Invoice No. 18675
Cust # W343
Cust P.O. #

Subject M1 SAMPLES REC'D 10/10/06

Sampled By: CLIENT Date 10/8/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 10/8/2006 11:37:00AM					
M1 TOP					
Phosphorous as P	<0.010 mg/L	10/13/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	10/11/2006	11:15	EVD	4500-NO3-E
Chlorophyll-A	8.1 mg/M3	10/11/2006		EVD	SM 10200H
002 Sample Collected: 10/8/2006 12:00:00AM					
M1 THERMOCLINE NO SAMPLE					
003 Sample Collected: 10/8/2006 11:39:00AM					
M1 BOTTOM					
Phosphorous as P	<0.010 mg/L	10/13/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER, MA 01570

Date Reported 10/17/2006
Date Received 10/10/2006
Sample ID 0610-00928
Invoice No. 18677
Cust # W343
Cust P.O. #

Subject N1 SAMPLES REC'D 10/10/06

Sampled By: CLIENT Date 10/8/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 10/8/2006 12:07:00PM					
N1 TOP					
Phosphorous as P	<0.010 mg/L	10/13/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	10/11/2006	11:15	EVD	4500-NO3-E
Chlorophyll-A	1.8 mg/M3	10/11/2006		EVD	SM 10200H
002 Sample Collected: 10/8/2006 12:09:00PM					
N1 THERMOCLINE NO SAMPLE					
003 Sample Collected: 10/8/2006 12:09:00PM					
N1 BOTTOM					
Phosphorous as P	0.016 mg/L	10/13/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER





Microbac Laboratories, Inc.

MASSACHUSETTS DIVISION
 148 Bartlett Street
 Marlborough, MA 01752
 (508) 460-7600 Fax (508) 460-7777
 Nancy Burnett, Lab Director
 www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
 ERNIE BENOIT
 86 POINT BREEZE ROAD
 WEBSTER, MA 01570

Date Reported 10/27/2006
 Date Received 10/24/2006
 Sample ID 0610-01182
 Invoice No. 19047
 Cust # W343
 Cust P.O. #

Subject S1 SAMPLES FOR TESTING 10/22/06

Sampled By: CLIENT Date 10/22/2006 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 10/22/2006 11:21:00AM					
S1 TOP					
Phosphorous as P	<0.010 mg/L	10/25/2006		MHD	EPA 200.7
Nitrate Nitrogen as N	<0.4 mg/L	10/25/2006	11:17	EVD	4500-NO3-E
Chlorophyll-A	<0.5 mg/M3	10/25/2006		EVD	SM 10200H
002 Sample Collected: 10/22/2006 12:00:00AM					
S1 THERMOCLINE - NO SAMPLE					
003 Sample Collected: 10/22/2006 12:00:00AM					
S1 BOTTOM					
Phosphorous as P	<0.010 mg/L	10/25/2006		MHD	EPA 200.7

This report has been reviewed and is electronically signed by:

Nancy Burnett
 Laboratory Director

Current State Certification IDs:
 ME, MA003; MA, M-MA003; RI, #00280;



The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER,MA 01570

Date Reported 10/27/2006
Date Received 10/24/2006
Sample ID 0610-01184
Invoice No. 19049
Cust # W343
Cust P.O. #

Subject M1 SAMPLES REC'D 10/24/06

Sampled By: CLIENT Date 10/22/2006 Time

Table with columns: Test, Result, Date, Time, Tech, Method. Contains three sample entries (001, 002, 003) with their respective test results and collection details.

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research





MASSACHUSETTS DIVISION
148 Bartlett Street
Marlborough, MA 01752
(508) 460-7600 Fax (508) 460-7777
Nancy Burnett, Lab Director
www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION
ERNIE BENOIT
86 POINT BREEZE ROAD
WEBSTER,MA 01570

Date Reported 10/27/2006
Date Received 10/24/2006
Sample ID 0610-01183
Invoice No. 19048
Cust # W343
Cust P.O. #

Subject N1 SAMPLES REC'D 10/24/06

Sampled By: CLIENT Date 10/22/2006 Time

Table with columns: Test, Result, Date, Time, Tech, Method. Contains three sample entries (001, 002, 003) with their respective test results and collection details.

This report has been reviewed and is electronically signed by:

Nancy Burnett
Laboratory Director

Current State Certification IDs:
ME, MA003; MA, M-MA003; RI, #00280;

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

