

LAKE 5/18/08 SUNDAY

Exhibit G – Water Sample Chain of Custody and Nutrient Results Sheet

5/18/08 LAKE

Webster Lake Association Sample Chain of Custody & Nutrient Data Results Sheet

Wet/Dry

Weather Last 48 Hours RAIN SHOWERS SATURDAY MORNING 5/17/08

Site Number	Date	Time	Initials	Nitrate Reagent Blank	Nitrate (ppm)	Time	Initials	Phosphate (ppm)	Time	Initials
<b>S<sub>i</sub></b>										
SURFACE	5/18	11:15 am	YR.	-0-	0.09 ppm	11:40	YR	0.00 ppm	11:35	YR
THERMO	5/18	—	YR	-0-			YR.	NO SAMPLE	—	YR
BOTTOM	5/18		YR	-0-			YR	0.00 ppm	11:52	YR
<b>M<sub>i</sub></b>										
SURFACE	5/18/08	12:02 pm	YR	-0-	0.08 ppm	12:20	YR.	0.02 ppm	12:14	YR
THERMO	5/18	—	YR	-0-			YR.	NO SAMPLE	—	YR
BOTTOM	5/18		YR.	-0-			YR.	0.00 ppm	12:21	YR.
<b>N<sub>i</sub></b>										
SURFACE	5/18	12:37	YR	-0-	0.07 ppm	1:00	YR.	0.04 ppm	12:54	YR
THERMO	5/18	—	—	-0-			YR	NO SAMPLE	—	YR
BOTTOM	5/18			-0-	0.02 ppm		YR	0.02 ppm	1:06	YR.

5/18/08 LAKE

Sample Possession Chain

	Name	Date	Time
Cleaned Bottles and Testing	GLORIA RICKER	5/18/08	7:45 PM
Transported Bottles to Field		5/18/08	10:45 AM
Filled Sample and Put in Cooler			
Transported Bottles to Testers			
Tester Receiving Samples	GLORIA RICKER	5/18/08	11:00 AM
Tester That Performed Test	GLORIA RICKER	5/18/08	11:15
Tester That Recorded Results	GLORIA RICKER	5/18/08	11:40
Person Sending Results to FDM			
Field Data Manager Received			

stream

5/15/08

### Webster Lake Association Sample Chain of Custody & Nutrient Data Results Sheet

THURS: 5/15/2008

Wet/Dry

DRY

Weather Last 48 Hours

DRY

Volunteers Performing Tests:

PHIL OLSON

Site Number	Date	Time	Initials	Nitrate Reagent Blank	Nitrate (ppm)	Time	Initials	Phosphate (ppm)	Time PM	Initials
<del>#21</del>	<del>5/15</del>	<del>10:15</del>	<del>P.O.</del>							
#21	5/15	10:24	P.O.	-O-	0.12ppm	12:31	GR	0.05ppm	12:32	GR see #21
#18	5/15	10:42	P.O.	-O-	0.00ppm			0.02ppm	1:45	GR
#16	5/15	11:10	P.O.	-O-	0.12ppm	12:31	GR	0.05ppm	12:32	GR
#17	5/15	11:13	P.O.	-O-	0.25ppm	1:30	GR	0.03ppm	1:24	GR
#21	5/15	10:24	P.O.	-O-	0.31ppm	1:09	GR	0.06ppm	1:05	GR
Q.T										
#16	5/15			O	0.19ppm	12:50	GR	0.04ppm	12:49	GR

5/15/08

Sample Possession Chain	Name	Date	Time
Cleaned Bottles and Testing	GLORIA RICKER	5/15/08	2:30 PM
Transported Bottles to Field	PHIL OLSON	5/15/08	9:45 AM
Filled Sample and Put in Cooler	PHIL OLSON	5/15/08	10:30 AM
Transported Bottles to Testers	PHIL OLSON	5/15/08	11:30 AM
Tester Receiving Samples	GLORIA RICKER	5/15/08	11:30 AM
Tester That Performed Test	GLORIA RICKER ✓	5/15/08	12:10 PM
Tester That Recorded Results	GLORIA RICKER	5/15/08	12:30 PM
Person Sending Results to FDM			
Field Data Manager Received			



® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

## CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION  
AL HEUFNER  
82 LAKESIDE AVE  
WEBSTER, MA 01570

Date Reported 6/9/2008  
Date Received 5/20/2008  
Sample ID 0805-01266  
Invoice No. 44662  
Cust # W343  
Cust P.O. #

### Subject M1 SAMPLES FOR TESTING 5/20/08

Sampled By: CLIENT Date 5/18/2008 Time 12:04

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	5/18/2008 12:04:00PM				
<b>M1 SURFACE</b>					
Chlorophyll-A	<0.5 mg/M3	5/23/2008	11:00	NGB	SM 10200H
Phosphorus as P	<0.02 mg/L	6/2/2008	17:24	CMP	SM 4500-P B, E.
Nitrate Nitrogen as N	<0.4 mg/L	5/21/2008		HCL	4500-NO3-E
002 Sample Collected:	5/18/2008 12:05:00PM				
<b>M1 BOTTOM</b>					
Phosphorus as P	<0.02 mg/L	6/2/2008	17:24	CMP	SM 4500-P B, E.

The phosphorus was analyzed by Microbac Camp Hill PA028

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

For any feedback concerning our services, please contact the Managing Director or Trevor Boyce, President, at president@microbac.com

Current State Certification IDs:

MA: M-MA003

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

**ACIL**


**® Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 AL HEUFNER  
 82 LAKESIDE AVE  
 WEBSTER, MA 01570

 Date Reported 6/9/2008  
 Date Received 5/20/2008  
 Sample ID 0805-01267  
 Invoice No. 44663  
 Cust # W343  
 Cust P.O. #

**Subject S1 SAMPLES FOR TESTING 5/20/08**

Sampled By: CLIENT

Date 5/18/2008 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	5/18/2008 11:24:00AM				
<b>S1 SURFACE</b>					
Chlorophyll-A	6.2 mg/M3	5/23/2008	11:00	NGB	SM 10200H
Phosphorus as P	<0.02 mg/L	6/2/2008	17:24	CMP	SM 4500-P B,E.
Nitrate Nitrogen as N	<0.4 mg/L	5/21/2008		HCL	4500-NO3-E
002 Sample Collected:	5/18/2008 11:45:00AM				
<b>S1 BOTTOM</b>					
Phosphorus as P	<0.02 mg/L	6/2/2008	17:24	CMP	SM 4500-P B, E.

The phosphorus was analyzed by Microbac Camp Hill PA028

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

 For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,  
 President, at president@microbac.com

 Current State Certification IDs:  
 MA: M-MA003

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition  
 that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER




**® Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

### CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION  
AL HEUFNER  
82 LAKESIDE AVE  
WEBSTER, MA 01570

Date Reported 6/9/2008  
Date Received 5/20/2008  
Sample ID 0805-01268  
Invoice No. 44664  
Cust # W343  
Cust P.O. #

#### Subject N1 SAMPLES FOR TESTING 5/20/08

Sampled By: CLIENT Date 5/18/2008 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	5/18/2008 12:39:00PM				
<b>N1 SURFACE</b>					
Chlorophyll-A	<0.5 mg/M3	5/23/2008	11:00	NGB	SM 10200H
Phosphorus as P	<0.02 mg/L	6/2/2008	17:24	CMP	SM 4500-P B,E.
Nitrate Nitrogen as N	<0.4 mg/L	5/21/2008		HCL	4500-NO3-E
002 Sample Collected:	5/18/2008 12:55:00PM				
<b>N1 BOTTOM</b>					
Phosphorus as P	<0.02 mg/L	6/2/2008	17:24	CMP	SM 4500-P B,E.

The phosphorus was analyzed by Microbac Camp Hill PA028

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

For any feedback concerning our services, please contact the Managing Director or Trevor Boyce, President, at president@microbac.com

Current State Certification IDs:  
MA: M-MA003

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



6/19/08

**Webster Lake Association Sample Chain of Custody & Nutrient Data Results** Sites: LAKE 6/19/08

Current Weather:

Weather Last 48 Hours: RAIN SHOWERS THURS. AFTERNOON 6/18/08

Volunteers Performing Tests: GLORIA RICKER

Site Number	Date	Time	Initials	Nitrate Reagent Blank	Nitrate (ppm)	Time	Initials	Phosphate (ppm)	Time	Initials
S1	6/19/08									
SURFACE	6/19/08	11:00 AM	GR/JT	- 0 -	0.00 ppm	11:18	GR	0.01 ppm	11:15	GR
THERMO	6/19/08		GR/JT	- 0 -	NO SAMPLE		GR	NO SAMPLE		GR
BOTTOM	6/19/08	11:16 AM	GR/JT	- 0 -			GR	0.02 ppm	11:25	GR
M1	6/19/08									
SURFACE	6/19/08	11:35	GR/JT	- 0 -	NO CHEMICALS		GR	0.00 ppm	11:49	GR
THERMO	6/19/08		GR/JT	- 0 -	NO SAMPLE		GR	NO SAMPLE		GR
BOTTOM	6/19/08		GR/JT	- 0 -			GR	0.01 ppm	11:54	GR
N1	6/19/08		GR/JT							
SURFACE	6/19/08	12:10	GR/JT	- 0 -	NO CHEMICALS		GR	0.06 ppm	12:22	GR
THERMO	6/19/08		GR/JT	- 0 -			GR	0.02 ppm	12:37 pm	GR
BOTTOM	6/19/08		GR/JT	- 0 -			GR	0.01 ppm	12:30	GR

Sample Possession Chain	Name	Date	Time	Comments
Cleaned Bottles	GLORIA RICKER	6/19/08	6:15 PM	
Transported Bottles to Field	GLORIA RICKER	6/19/08	11:00 AM	
Filled Sample and Put in Cooler				
Transported Bottles to Testers				
Tester Receiving Samples				
Tester That Performed Analysis				
Tester That Recorded Results				
Person Sending Results to FDM				
Field Data Manager Received				

June 19  
 6/19/08

6/18/08

**Webster Lake Association Sample Chain of Custody & Nutrient Data Results** Sites: STREAMS

Current Weather: Sunny 68° F

Weather Last 48 Hours: SHOWERS PARTLY Cloudy

Volunteers Performing Tests: GLORIA RICKER

Site Number	Date	Time	Initials	Nitrate Reagent Blank	Nitrate (ppm)	Time	Initials	Phosphate (ppm)	Time	Initials
#16	6/18/08	<del>3:15pm</del> 10:58am	JR P.O.	-0-	0.43 ppm	3:34pm	JR	0.00 ppm	<del>3:30</del>	JR
#17	6/18/08	3:35pm 10:45	JR JR	-0-	0.07 ppm	4:54pm	JR	0.00 ppm	4:50pm	JR.
#18	6/18/08	4:56pm 10:39	JR P.O.	-0-	0.19 ppm	5:11pm	JR	0.03 ppm	5:06pm	JR
<del>#21</del>	<del>6/18/08</del>		<del>JR</del>	<del>-0-</del>	<del>0.19 ppm</del>	<del>5:11pm</del>	<del>JR</del>			<del>JR</del>
#21	6/18/08	5:12pm 10:25	JR. P.O.	-0-	0.20 ppm	5:29pm	JR	0.00 ppm	5:22pm	JR
#17	6/18/08	5:30pm 10:45	JR P.O.	-0-	0.17 ppm	5:49pm pm	JR	0.00 ppm	5:31pm	JR
QC										

Sample Possession Chain	Name	Date	Time	Comments
Cleaned Bottles	GLORIA RICKER	6/18/08	7:35pm	
Transported Bottles to Field				
Filled Sample and Put in Cooler				
Transported Bottles to Testers				
Tester Receiving Samples	GLORIA RICKER	6/18/08	11:10AM	
Tester That Performed Analysis	GLORIA RICKER	6/18/08	3:15pm	
Tester That Recorded Results	GLORIA RICKER	6/18/08	3:34pm	
Person Sending Results to FDM				
Field Data Manager Received				

6/18/08  
GR



® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

## CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION  
AL HEUFNER  
82 LAKESIDE AVE  
WEBSTER, MA 01570

Date Reported 7/21/2008  
Date Received 6/20/2008  
Sample ID 0806-01370  
Invoice No. 46803  
Cust # W343  
Cust P.O. #

### Subject M1 SAMPLES FOR TESTING 6/20/08

Sampled By: CLIENT

Date 6/19/2008 Time 11:40

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	6/19/2008 11:37:00AM				
<b>M1 SURFACE</b>					
Chlorophyll-A	1.4 mg/M3	6/23/2008	12:49	NGB	SM 10200H
Phosphorus as P	0.016 mg/L	7/9/2008	18:34	CMP	SM 4500-P-B,E.
Nitrate Nitrogen as N	<0.4 mg/L	6/20/2008	18:00	HCL	4500-NO3-E
002 Sample Collected:	6/19/2008 11:40:00AM				
<b>M1 BOTTOM</b>					
Phosphorus as P	0.015 mg/L	7/9/2008	18:34	CMP	SM 4500-P-B,E.

The phosphorus was analyzed by Microbac Camp Hill PA028

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,  
President, at president@microbac.com

Current State Certification IDs:  
MA: M-MA003

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL




**Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 AL HEUFNER  
 82 LAKESIDE AVE  
 WEBSTER, MA 01570

 Date Reported 7/21/2008  
 Date Received 6/20/2008  
 Sample ID 0806-01371  
 Invoice No. 46804  
 Cust # W343  
 Cust P.O. #

**Subject N1 SAMPLES FOR TESTING 6/20/08**

Sampled By: CLIENT Date 6/19/2008 Time 12:12

Test	Result	Date	Time	Tech	Method
001	Sample Collected:	6/19/2008	12:12:00PM		
<b>N1 SURFACE</b>					
	Chlorophyll-A	1.6 mg/M3	6/23/2008	12:49	NGB SM 10200H
	Phosphorus as P	0.016 mg/L	7/9/2008	18:35	CMP SM 4500-P-B,E.
	Nitrate Nitrogen as N	<0.4 mg/L	6/20/2008	18:00	HCL 4500-NO3-E
002	Sample Collected:	6/19/2008	12:25:00PM		
<b>N1 THERMOCLINE</b>					
	Phosphorus as P	0.012 mg/L	7/9/2008	18:35	CMP SM 4500-P-B,E.
003	Sample Collected:	6/19/2008	12:18:00PM		
<b>N1 BOTTOM</b>					
	Phosphorus as P	0.013 mg/L	7/9/2008	18:35	CMP SM 4500-P-B,E.

The phosphorus was analyzed by Microbac Camp Hill PA028

 Current State Certification IDs:  
 MA: M-MA003

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

 MEMBER  




® **Microbac Laboratories, Inc.**

Page 2 of 2

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

### CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION  
AL HEUFNER  
82 LAKESIDE AVE  
WEBSTER, MA 01570

Date Reported 7/21/2008  
Date Received 6/20/2008  
Sample ID 0806-01371  
Invoice No. 46804  
Cust # W343  
Cust P.O. #

**Subject N1 SAMPLES FOR TESTING 6/20/08**

Sampled By: CLIENT Date 6/19/2008 Time 12:12

Test	Result	Date	Time	Tech	Method
------	--------	------	------	------	--------

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,  
President, at president@microbac.com

Current State Certification IDs:

MA: M-MA003

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER




**Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 AL HEUFNER  
 82 LAKESIDE AVE  
 WEBSTER, MA 01570

 Date Reported 7/21/2008  
 Date Received 6/20/2008  
 Sample ID 0806-01372  
 Invoice No. 46805  
 Cust # W343  
 Cust P.O. #

**Subject S1 SAMPLES FOR TESTING 6/20/08**

Sampled By: CLIENT

Date 6/19/2008 Time 11:10

Test	Result	Date	Time	Tech	Method
001	Sample Collected:	6/19/2008	11:10:00AM		
<b>S1 SURFACE</b>					
Chlorophyll-A	2.1 mg/M3	6/23/2008	12:49	NGB	SM 10200H
Phosphorus as P	0.012 mg/L	7/9/2008	18:35	CMP	SM 4500-P-B,E.
Nitrate Nitrogen as N	<0.4 mg/L	6/20/2008	18:00	HCL	4500-NO3-E
002	Sample Collected:	6/19/2008	11:03:00AM		
<b>S1 BOTTOM</b>					
Phosphorus as P	0.015 mg/L	7/9/2008	18:35	CMP	SM 4500-P-B,E.

The phosphorus was analyzed by Microbac Camp Hill PA028

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

 For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,  
 President, at president@microbac.com

 Current State Certification IDs:  
 MA: M-MA003

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition  
 that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER



7/16/08

**Webster Lake Association Sample Chain of Custody & Nutrient Data Results** Sites: STREAMS

Current Weather: Sunny, Warm, Humid  
 Weather Last 48 Hours: Sunny, Warm, Humid

Volunteers Performing Tests:										
Site Number	Date	Time	Initials	Nitrate Reagent Blank	Nitrate (ppm)	Time	Initials	Phosphate (ppm)	Time	Initials
IN 21	7/16/08	<del>10:13</del>	P.O.	-0-	0.17 ppm	2:09 pm	JR	0.03 ppm	2:04 pm	JR
RB 18	7/16/08	<del>10:13</del>	P.O. JY	-0-			JR			JR
MB 17	7/16/08	10:35	P.O.	-0-	0.09 ppm	3:05 pm	JR	0.05 ppm	2:45 pm	JR
SB 16	7/16/08	10:38	P.O.	-0-	0.64 ppm	2:26 pm	JR	0.00 ppm	2:16 pm	JR
#16	7/16/08	Q.C.T.		-0-	0.80 ppm	2:46 pm	JR	0.04 ppm	2:30 pm	JR

7/16/08

Sample Possession Chain	Name	Date	Time	Comments
Cleaned Bottles	GLORIA RICKER	6/18/08	7:35 PM	
Transported Bottles to Field	Al Hufnery	7/16/08	9:38 AM	
Filled Sample and Put in Cooler	Phil Olson	7/16/08	10:49	
Transported Bottles to Testers	Phil Olson	7/16/08	10:49 AM	
Tester Receiving Samples	GLORIA RICKER	7/16/08	10:49 AM	
Tester That Performed Analysis	GLORIA RICKER	7/16/08		
Tester That Recorded Results				
Person Sending Results to FDM				
Field Data Manager Received				


**® Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 AL HEUFNER  
 82 LAKESIDE AVE  
 WEBSTER, MA 01570

 Date Reported 8/13/2008  
 Date Received 7/18/2008  
 Sample ID 0807-01322  
 Invoice No. 47810  
 Cust # W343  
 Cust P.O. #

**Subject S1 SAMPLES FOR TESTING 7/18/08**

Sampled By: CLIENT

Date 7/17/2008 Time

Test	Result	Date	Time	Tech	Method
001	Sample Collected: 7/17/2008 11:06:00AM				
<b>S1 SURFACE</b>					
Chlorophyll-A	1.6 mg/M3	7/18/2008	14:24	NGB	SM 10200H
Phosphorus as P	0.016 mg/L	8/8/2008	14:33	CMP	SM 4500-P B, E.
Nitrate Nitrogen as N	<0.4 mg/L	7/18/2008	19:00	HCL	4500-NO3-E
002	Sample Collected: 7/17/2008 11:20:00AM				
<b>S1 THERMOCLINE</b>					
Phosphorus as P	0.015 mg/L	8/8/2008	14:33	CMP	SM 4500-P B, E.
003	Sample Collected: 7/17/2008 11:15:00AM				
<b>S1 BOTTOM</b>					
Phosphorus as P	0.026 mg/L	8/8/2008	14:33	CMP	SM 4500-P B, E.

The phosphorus was analyzed by Microbac Camp Hill PA028

 Current State Certification IDs:  
 MA: M-MA003

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER





® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

## CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION  
AL HEUFNER  
82 LAKESIDE AVE  
WEBSTER, MA 01570

Date Reported 8/13/2008  
Date Received 7/18/2008  
Sample ID 0807-01322  
Invoice No. 47810  
Cust # W343  
Cust P.O. #

### Subject S1 SAMPLES FOR TESTING 7/18/08

Sampled By: CLIENT

Date 7/17/2008 Time

Test	Result	Date	Time	Tech	Method
------	--------	------	------	------	--------

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,  
President, at president@microbac.com

Current State Certification IDs:

MA: M-MA003

The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER

ACIL


**® Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street  
Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 AL HEUFNER  
 82 LAKESIDE AVE  
 WEBSTER, MA 01570

 Date Reported 8/13/2008  
 Date Received 7/17/2008  
 Sample ID 0807-01323  
 Invoice No. 47811  
 Cust # W343  
 Cust P.O. #

**Subject M1 SAMPLES FOR TESTING 7/17/08**

Sampled By: CLIENT Date 7/17/2008 Time 11:45

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 7/17/2008 11:45:00AM					
<b>M1 SURFACE</b>					
Chlorophyll-A	3.0 mg/M3	7/18/2008	14:24	NGB	SM 10200H
Phosphorus as P	<0.010 mg/L	8/8/2008	14:26	CMP	SM 4500-P B, E.
Nitrate Nitrogen as N	<0.4 mg/L	7/18/2008	19:00	HCL	4500-NO3-E
002 Sample Collected: 7/17/2008 11:55:00AM					
<b>M1 THERMOCLINE</b>					
Phosphorus as P	0.016 mg/L	8/8/2008	14:26	CMP	SM 4500-P B, E.
003 Sample Collected: 7/17/2008 11:47:00AM					
<b>M1 BOTTOM</b>					
Phosphorus as P	0.011 mg/L	8/8/2008	14:26	CMP	SM 4500-P B, E.

The phosphorus was analyzed by Microbac Camp Hill PA028

 Current State Certification IDs:  
 MA: M-MA003

MEMBER



 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research



® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

## CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION  
AL HEUFNER  
82 LAKESIDE AVE  
WEBSTER, MA 01570

Date Reported 8/13/2008  
Date Received 7/17/2008  
Sample ID 0807-01323  
Invoice No. 47811  
Cust # W343  
Cust P.O. #

### Subject M1 SAMPLES FOR TESTING 7/17/08

Sampled By: CLIENT Date 7/17/2008 Time 11:45

Test	Result	Date	Time	Tech	Method
------	--------	------	------	------	--------

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,  
President, at [president@microbac.com](mailto:president@microbac.com)

Current State Certification IDs:  
MA: M-MA003

MEMBER



The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research




**® Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 AL HEUFNER  
 82 LAKESIDE AVE  
 WEBSTER, MA 01570

 Date Reported 8/13/2008  
 Date Received 7/18/2008  
 Sample ID 0807-01324  
 Invoice No. 47812  
 Cust # W343  
 Cust P.O. #

**Subject N1 SAMPLES FOR TESTING 7/18/08**

Sampled By: CLIENT

Date 7/17/2008 Time

Test	Result	Date	Time	Tech	Method
001	Sample Collected: 7/17/2008 12:28:00PM				
<b>N1 SURFACE</b>					
Chlorophyll-A	5.2 mg/M3	7/18/2008	14:24	NGB	SM 10200H
Phosphorus as P	<0.010 mg/L	8/8/2008	14:27	CMP	SM 4500-P B, E.
Nitrate Nitrogen as N	<0.4 mg/L	7/18/2008	19:00	HCL	4500-NO3-E
002	Sample Collected: 7/17/2008 12:42:00PM				
<b>N1 THERMOCLINE</b>					
Phosphorus as P	0.013 mg/L	8/8/2008	14:27	CMP	SM 4500-P B, E.
003	Sample Collected: 7/17/2008 12:38:00PM				
<b>N1 BOTTOM</b>					
Phosphorus as P	<0.010 mg/L	8/8/2008	14:27	CMP	SM 4500-P B, E.

The phosphorus was analyzed by Microbac Camp Hill PA028

 Current State Certification IDs:  
 MA: M-MA003

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER





® **Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

## CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION  
AL HEUFNER  
82 LAKESIDE AVE  
WEBSTER, MA 01570

Date Reported 8/13/2008  
Date Received 7/18/2008  
Sample ID 0807-01324  
Invoice No. 47812  
Cust # W343  
Cust P.O. #

### Subject N1 SAMPLES FOR TESTING 7/18/08

Sampled By: CLIENT

Date 7/17/2008 Time

Test	Result	Date	Time	Tech	Method
------	--------	------	------	------	--------

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,

President, at [president@microbac.com](mailto:president@microbac.com)

Current State Certification IDs:  
MA: M-MA003

MEMBER



The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

8/14/08

**Webster Lake Association Sample Chain of Custody & Nutrient Data Results** Sites: LAKE 8/14/08

Current Weather: CLOUDY & FOG  
 Weather Last 48 Hours: THUNDER STORMS FOLLOWED BY SUNNY DAY ON WED.

Volunteers Performing Tests:										
Site Number	Date	Time	Initials	Nitrate Reagent Blank	Nitrate (ppm)	Time	Initials	Phosphate (ppm)	Time	Initials
S1	8/14/08	10:59 AM	JR							
SURFACE	8/14/08			-0-	0.21 ppm	11:16 AM	JR	0.04 ppm	11:14 AM	JR
THERMO	8/14/08			-0-			JR	0.07 ppm	11:30 AM	JR
BOTTOM	8/14/08			-0-			JR	0.00 ppm	11:26 PM	JR
M1	8/14/08		JR							
SURFACE	8/14/08			-0-	0.04 ppm	11:42	JR	0.02 ppm	11:40 AM	JR
THERMO	8/14/08			-0-				0.04 ppm	11:55 PM	JR
BOTTOM	8/14/08			-0-				0.00 ppm	11:54 AM	JR
N1	8/14/08		JR							
SURFACE	8/14/08			-0-	0.08 ppm	12:15 PM	JR	0.01 ppm	12:10 PM	JR
THERMO	8/14/08			-0-				0.00 ppm	12:55 PM	JR
BOTTOM	8/14/08			-0-				0.00 ppm	12:25	JR

Sample Possession Chain	Name	Date	Time	Comments
Cleaned Bottles	GLORIA RICKER	7/17/08	7:00 PM	
Transported Bottles to Field	GLORIA RICKER	8/14/08		
Filled Sample and Put in Cooler				
Transported Bottles to Testers				
Tester Receiving Samples				
Tester That Performed Analysis				
Tester That Recorded Results				
Person Sending Results to FDM				
Field Data Manager Received				

8/14/08






**Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 JEAN TRAVIS  
 16 MARK AVE  
 WEBSTER, MA 01570

 Date Reported 9/11/2008  
 Date Received 8/15/2008  
 Sample ID 0808-00966  
 Invoice No. 49138  
 Cust # W343  
 Cust P.O. #

**Subject N1 SAMPLES FOR TESTING 8/15/08**

Sampled By: CLIENT

Date 8/14/2008 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected: 8/14/2008 12:01:00PM					
<b>N1 SURFACE</b>					
Chlorophyll-A	2.2 mg/M3	8/18/2008	16:47	NGB	SM 10200H
Phosphorus as P	0.040 mg/L	9/5/2008	10:06	CMP	SM 4500-P B, E.
Nitrate Nitrogen as N	<0.1 mg/L	8/15/2008	14:00	HCL	4500-NO3-E
002 Sample Collected: 8/14/2008 12:23:00PM					
<b>N1 THERMOCLINE</b>					
Phosphorus as P	0.011 mg/L	9/5/2008	10:06	CMP	SM 4500-P B, E.
003 Sample Collected: 8/14/2008 12:15:00PM					
<b>N1 BOTTOM</b>					
Phosphorus as P	0.011 mg/L	9/5/2008	10:06	CMP	SM 4500-P B, E.

 The phosphorus were analyzed by Microbac Laboratories, Inc. Camp Hill  
 Division M-PA028

 Current State Certification IDs:  
 MA: M-MA003

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER




**Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

WEBSTER LAKE ASSOCIATION  
JEAN TRAVIS  
16 MARK AVE  
WEBSTER, MA 01570

Date Reported 9/11/2008  
Date Received 8/15/2008  
Sample ID 0808-00966  
Invoice No. 49138  
Cust # W343  
Cust P.O. #

**Subject N1 SAMPLES FOR TESTING 8/15/08**

Sampled By: CLIENT

Date 8/14/2008 Time

Test	Result	Date	Time	Tech	Method
------	--------	------	------	------	--------

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,  
President, at president@microbac.com

Current State Certification IDs:  
MA: M-MA003

MEMBER



The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research


**Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 JEAN TRAVIS  
 16 MARK AVE  
 WEBSTER, MA 01570

 Date Reported 9/11/2008  
 Date Received 8/15/2008  
 Sample ID 0808-00967  
 Invoice No. 49139  
 Cust # W343  
 Cust P.O. #

**Subject M1 SAMPLES FOR TESTING 8/15/08**

Sampled By: CLIENT

Date 8/14/2008 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	8/14/2008 11:30:00AM				
<b>M1 SURFACE</b>					
Chlorophyll-A	2.3 mg/M3	8/18/2008	16:47	NGB	SM 10200H
Phosphorus as P	0.011 mg/L	9/5/2008	10:07	CMP	SM 4500-P B, E.
Nitrate Nitrogen as N	<0.1 mg/L	8/15/2008	14:00	HCL	4500-NO3-E
002 Sample Collected:	8/14/2008 11:38:00AM				
<b>M1 THERMOCLINE</b>					
Phosphorus as P	0.015 mg/L	9/5/2008	10:07	CMP	SM 4500-P B, E.
003 Sample Collected:	8/14/2008 11:35:00AM				
<b>M1 BOTTOM</b>					
Phosphorus as P	0.013 mg/L	9/5/2008	10:07	CMP	SM 4500-P B, E.

 The phosphorus were analyzed by Microbac Laboratories, Inc. Camp Hill  
 Division M-PA028

 Current State Certification IDs:  
 MA: M-MA003

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER






**Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

### CERTIFICATE OF ANALYSIS

WEBSTER LAKE ASSOCIATION  
JEAN TRAVIS  
16 MARK AVE  
WEBSTER, MA 01570

Date Reported 9/11/2008  
Date Received 8/15/2008  
Sample ID 0808-00967  
Invoice No. 49139  
Cust # W343  
Cust P.O. #

**Subject M1 SAMPLES FOR TESTING 8/15/08**

Sampled By: CLIENT

Date 8/14/2008 Time

Test	Result	Date	Time	Tech	Method
------	--------	------	------	------	--------

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,  
President, at president@microbac.com

Current State Certification IDs:  
MA: M-MA003

MEMBER



The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research


**Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 JEAN TRAVIS  
 16 MARK AVE  
 WEBSTER, MA 01570

 Date Reported 9/11/2008  
 Date Received 8/15/2008  
 Sample ID 0808-00968  
 Invoice No. 49140  
 Cust # W343  
 Cust P.O. #

**Subject S1 SAMPLES FOR TESTING 8/15/08**

Sampled By: CLIENT

Date 8/14/2008 Time

Test	Result	Date	Time	Tech	Method
001 Sample Collected:	8/14/2008 11:00:00AM				
<b>S1 SURFACE</b>					
Chlorophyll-A	2.2 mg/M3	8/18/2008	16:47	NGB	SM 10200H
Phosphorus as P	0.011 mg/L	9/8/2008	10:08	CMP	SM 4500-P B, E.
Nitrate Nitrogen as N	<0.1 mg/L	8/15/2008	14:00	HCL	4500-NO3-E
002 Sample Collected:	8/14/2008 11:02:00AM				
<b>S1 THERMOCLINE</b>					
Phosphorus as P	0.034 mg/L	9/8/2008	10:08	CMP	SM 4500-P B, E.
003 Sample Collected:	8/14/2008 11:01:00AM				
<b>S1 BOTTOM</b>					
Phosphorus as P	0.013 mg/L	9/8/2008	10:08	CMP	SM 4500-P B, E.

 The phosphorus were analyzed by Microbac Laboratories, Inc. Camp Hill  
 Division M-PA028

 Current State Certification IDs:  
 MA: M-MA003

 The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.  
 USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research

MEMBER




**Microbac Laboratories, Inc.**

MASSACHUSETTS DIVISION

148 Bartlett Street

Marlborough, MA 01752

(508) 460-7600 Fax (508) 460-7777

Nancy Burnett, Lab Director

www.microbac.com E-Mail: massachusetts@microbac.com

 CHEMISTRY · MICROBIOLOGY · FOOD SAFETY · CONSUMER PRODUCTS  
 WATER · AIR · WASTES · FOOD · PHARMACEUTICALS · NUTRACEUTICALS

**CERTIFICATE OF ANALYSIS**

 WEBSTER LAKE ASSOCIATION  
 JEAN TRAVIS  
 16 MARK AVE  
 WEBSTER, MA 01570

 Date Reported 9/11/2008  
 Date Received 8/15/2008  
 Sample ID 0808-00968  
 Invoice No. 49140  
 Cust # W343  
 Cust P.O. #

**Subject S1 SAMPLES FOR TESTING 8/15/08**

Sampled By: CLIENT

Date 8/14/2008 Time

Test	Result	Date	Time	Tech	Method
------	--------	------	------	------	--------

This report has been reviewed and is electronically signed by:

Nancy Burnett

Laboratory Director

 For any feedback concerning our services, please contact the Managing Director or Trevor Boyce,  
 President, at president@microbac.com

Current State Certification IDs:

MA: M-MA003

MEMBER



The data and information on this, and other accompanying documents, represent only the sample(s) analyzed and is rendered upon condition that it is not to be reproduced wholly or in part for advertising or other purposes without approval from the laboratory.

USDA-EPA-NIOSH Testing Food Sanitation Consulting Chemical and Microbiological Analyses and Research