

61 Louisa Viens Drive
Dayville, CT 06241
Fax: 860-774-2689
Phone: 860-774-6814
Toll-Free: 800-334-0103

ANALYTICAL DATA REPORT

prepared for:

Webster Lake Association
16 Fairfield Street
Webster, MA 01570
Gloria Ricker

Report Number: E407S97
Project: Surface Water

Received Date: 07/31/2014
Report Date: 08/02/2014



Premier Laboratory, Inc
Authorized Signature



CT DPH #PH-0465
NJ DEP #CT007

EPA #CT00008
NY ELAP #11549

MA DEP #M-CT008
PA DEP #68-04413

ME DHHS #CT0050
RI DOH #LAO00300

NH ELAP #2020
VT DOH #VT11549



101-000000428105

Report No: E407S97
Client: Webster Lake Association
Project: Surface Water

CASE NARRATIVE / METHOD CONFORMANCE SUMMARY

This report is incomplete unless all pages indicated in the pagination at the bottom of the page are included, along with a copy of the chain of custody and any subcontracted analyses reports, if applicable, for the sample(s) in this report. Subcontractor results are identified by 'SUB' next to the analysis.

Premier Laboratory received 11 samples from Webster Lake Association on 07/31/2014. The samples were analyzed for the following list of analyses in accordance with MA DEP regulations unless otherwise indicated:

Phosphorus, Total as P by 365.1 in DW/WW
365.1[365.1]

Non-Conformances:
Work Order:

None

Sample:

None

Analysis:

None

Premier Laboratory Analytical Data Report

Report No: E407S97
Date Received: 07/31/2014 15:54

Customer: Webster Lake Association
Project: Surface Water

Parameter	Result	DL	Units	Completed	By	Dilution
(1) Pre Storm Sucker Brook						
Date Collected: 07/27/2014 10:35		Matrix: Aqueous				
Phosphorus as P by 365.1	ND	0.010	mg/L	08/01/2014 08:43	JJT	
(2) First Flush Sucker Brook						
Date Collected: 07/28/2014 20:17		Matrix: Aqueous				
Phosphorus as P by 365.1	0.019	0.010	mg/L	08/01/2014 08:43	JJT	
(3) Post Storm Sucker Brook						
Date Collected: 07/28/2014 20:18		Matrix: Aqueous				
Phosphorus as P by 365.1	0.010	0.010	mg/L	08/01/2014 08:27	JJT	
(4) Pre Storm Mine Brook						
Date Collected: 07/27/2014 10:30		Matrix: Aqueous				
Phosphorus as P by 365.1	ND	0.010	mg/L	08/01/2014 08:49	JJT	
(5) First Flush Mine Brook						
Date Collected: 07/28/2014 20:10		Matrix: Aqueous				
Phosphorus as P by 365.1	0.017	0.010	mg/L	08/01/2014 08:49	JJT	
(6) Post Storm Mine Brook						
Date Collected: 07/28/2014 20:12		Matrix: Aqueous				
Phosphorus as P by 365.1	ND	0.010	mg/L	08/01/2014 08:50	JJT	
(7) First Flush 136 Gore Brook						
Date Collected: 07/28/2014 20:05		Matrix: Aqueous				
Phosphorus as P by 365.1	0.10	0.010	mg/L	08/01/2014 08:50	JJT	
(8) First Flush Sutton Road Brook						
Date Collected: 07/28/2014 20:33		Matrix: Aqueous				
Phosphorus as P by 365.1	0.16	0.010	mg/L	08/01/2014 08:52	JJT	
(9) Pre Rain Storm Ski Club						
Date Collected: 07/28/2014 17:00		Matrix: Aqueous				
Phosphorus as P by 365.1	0.069	0.010	mg/L	08/01/2014 08:52	JJT	
(10) First Flush Ski Club						
Date Collected: 07/29/2014 07:30		Matrix: Aqueous				
Phosphorus as P by 365.1	0.083	0.010	mg/L	08/01/2014 08:53	JJT	
(11) 2nd Flush Ski Club						
Date Collected: 07/29/2014 15:00		Matrix: Aqueous				
Phosphorus as P by 365.1	0.012	0.010	mg/L	08/01/2014 08:54	JJT	

Chain of Custody

WWW.PREMIERLABORATORY.COM

Lab WO#: E407S97

Project Manager: AVD

Copy of Report To
 CUSTOMER: WEBSTER LAKE ASSOCIATION
 ADDRESS: 16 FAIRFIELD STREET
WEBSTER, MA. 01570
 ATTENTION: GLORIA RICKER
 E-MAIL: ARICKER913@CHARTER.NET
 PHONE: 508-561-0807 Fax: NET

Billing Information
 BILL TO: WEBSTER LAKE ASSOCIATION
 ADDRESS: 16 FAIRFIELD STREET
WEBSTER, MA. 01570
 ATTENTION: GLORIA RICKER
 TELEPHONE: 508-561-0807
 PURCHASE ORDER #:

Project Information
 Project: STREAM SAMPLER
 Project Location: WEBSTER STREAMS
 Project Manager: GLORIA RICKER
IN CASE WE HAVE ANY QUESTIONS WHEN SAMPLES ARRIVE WE SHOULD CALL:
 EMAIL: ARICKER913@CHARTER.NET
 TELEPHONE: 508-561-0807
 Fax:

Sample Identification	Date Collected	Time Collected	Sample Type		Sample Matrix	Analysis						Preservatives														
			COMPOSITE	GRAB								Non-pres	HCL	HNO3	NH4Cl	Sulfuric	Na2S2O3									
POST LAKE STREET STREAM	7/27/14	10:55 PM		X																						
PRE STORM SUCKER BROOK	7/27/14	10:35 AM		X	TP																					
FIRST FLUSH SUCKER BROOK	7/28/14	8:17 PM		X	TP																					
POST STORM SUCKER BROOK	7/28/14	8:18 PM		X	TP																					
PRE STORM MINE BROOK	7/27/14	10:30 AM		X	TP																					
FIRST FLUSH MINE BROOK	7/28/14	8:10 PM		X	TP																					
POST STORM MINE BROOK	7/28/14	8:12 PM		X	TP																					
FIRST FLUSH 136 GORE BROOK	7/28/14	8:05 PM		X	TP																					
FIRST FLUSH SUTTON RD BROOK	7/28/14	8:33 PM		X	TP																					

TURNAROUND (INDICATE IN CALENDAR DAYS):
 HARD COPY E-MAIL
 EXPEDITED SERVICE MAY BE SUBJECT TO SURCHARGE
 COMMENTS: ALL SAMPLES TEST FOR PRESERVATIVE TOTAL P
 Initials: AVD

CUSTODY TRANSFER	DATE	TIME
SAMPLER:	7/27/14	10:27 AM
RECEIVED:	7-27-14	12:16
RELINQUISHED:	7-27-14	15:54
RECEIVED:		
RELINQUISHED:		
RECEIVED:	9/3/14	15:54

CONDITIONS UPON RECEIPT: (CHECK ONE)
 COOLED AMBIENT 2-3
 Upon Receipt at L

Chain of Custody

WWW.PREMIERLABORATORY.COM

Lab WO#: E407S97
Project Manager:

Copy of Report To

CUSTOMER: WEBSTER LAKE ASSOCIATION
ADDRESS: 16 FAIRFIELD STREET
WEBSTER, MA. 01570
ATTENTION: GLORIA RICKER
E-MAIL: ARICKER913@CHARTER.
PHONE: 508-561-0207 Fax: NET

Billing Information

BILL TO: WEBSTER LAKE ASSOCIATION
ADDRESS: 16 FAIRFIELD STREET
WEBSTER, MA. 01570
ATTENTION: GLORIA RICKER
TELEPHONE: 508-561-0207
PURCHASE ORDER #:

Project Information

Project: STREAM SAMPLER
Project Location: WEBSTER STREAMS
Project Manager: GLORIA RICKER
IN CASE WE HAVE ANY QUESTIONS WHEN SAMPLES ARRIVE WE SHOULD CALL:
EMAIL: ARICKER913@CHARTER.
TELEPHONE: 508-561-0207 NET
Fax:

Sample Identification	Date Collected	Time Collected	Sample Type		Sample Matrix	Analysis	Preservatives										
			COMPOSITE	GRAB			Non-pres	HCL	HNO3	NH4Cl	Sulfuric	Na2S2O3					
POST LAKE SIDE STREAM	6/27/14	12:05 PM		*													
PRE BAYN STORM SKI CLUB	7/28/14	5:00 PM		✓					TP								
FIRST FLUSH SKI CLUB	7/29/14	7:30 AM		✓					TP								
AND FLUSH SKI CLUB	7/29/14	3:00 PM		✓					TP								

TURNAROUND (INDICATE IN CALENDAR DAYS):

EXPEDITED SERVICE MAY BE SUBJECT TO SURCHARGE
HARD COPY E-MAIL
COMMENTS: ALL SAMPLES TEST PRESERVATIVE
TOTAL P VERIFIED llk

CUSTODY TRANSFER	DATE	TIME
SAMPLER:		
RECEIVED: <u>W. W. L...</u>	<u>7/28/14</u>	<u>6:00 AM</u>
RELINQUISHED: <u>W. W. L...</u>	<u>7/29/14</u>	<u>12:16</u>
RECEIVED: <u>W. W. L...</u>	<u>7/31/14</u>	<u>12:14</u>
RELINQUISHED:		
RECEIVED: <u>llk</u>	<u>7/31/14</u>	<u>15:59</u>

CONDITIONS UPON RECEIPT: (CHECK ONE)
 COOLED AMBIENT
Upon Receipt at L